



PETMAK®

Arıcılık Makineleri | Beekeeping Machinery

E-CATALOG

*Fully Automatic Beeswax Foundation Machine (Model 1)


* Beeswax Sterilization Tank

* Beeswax Pressing Machine

* Fully Automatic Beeswax Foundation Machine (Model 2)

* Fondant 'Bee Feed' Machine

* Honey Decrystallization Heater



www.petmakmakina.com.tr



PETMAK®
Arıcılık Makineleri | Beekeeping Machinery

About Us

Page 3



Professional Big Machine
(Model 1)

Page 4



Wax Melter Tanks
&
Wax Sterilization Tank

Page 5




Fully Automatic Beeswax
Foundation Machine
(Model 1)

Page 6



Individual Mini Machine
(Model 2)

Page 7




Wax Melter Tank
&
Wax Sterilization Tank

Page 8



Fully Automatic Beeswax
Foundation Machine
(Model 2)

Page 9



Wax Pressing Machine

Page 10



Fondant 'Bee Feed'
Machine

Page 11



Fondant 'Bee Feed'
Machine Professional
System

Page 12



Honey Decrystallization
Heater

Page 13

References

Page 14-15

CONTENT

ABOUT US



PETMAK®
Arıcılık Makineleri | Beekeeping Machinery

PETMAK were established in 1970 by Tevfik GÜNGÖR who one of the industry's doyen. Mr. Güngör had started professional beekeeping in 1958 and had been active in beekeeping materials and basic honeycomb production and had provided service as "Güngör Petek" to the beekeeping sector until 1997.

The first automatic system honeycomb machine was manufactured in 1998 as a result of 3 years research and development work following the cylinder mold works of the honeycomb machines, which started in 1995 in the management of the second generation representative Osman GÜNGÖR.

Herewith, PETMAK has managed to achieve Turkey's first Fully Automatic Beeswax Foundation Machine production. Our company has taken its place as the leading manufacturer of Beeswax machine in the world.

Our company, which is aware of to the needs of the sector, besides Fully Automatic Beeswax Foundation Machine produces and globally sells Beeswax Sterilization Tank, Beeswax Pressing Machine, Fondant 'Bee Feed' Machine and Honey Decrystallization Heater.

In a computer-aided design environment, all of the manufacturing and assembly processes are carried out within the scope of Petmak Machinery, using advanced technology CNC machine tools and the innovative production equipments.

PETMAK is in a pioneer position in the world market with its quality, service understanding and spare parts support. Our machines have been exported to the 6 continents and 42 countries from America to Australia for the last 15 years and our machines operate in the guarantee of Petmak machinery.

With over 50 years of experience, Turkey's leading and pioneering brand PETMAK is the leader in honeycomb machine production in the world.

Our company, which collates the experience of professional beekeeping past with the demands of the beekeeping industry, has made the principle of serving the world beekeeping sector.

DETAILS & PRICING OF 'PROFESSIONAL BIG MACHINE (MODEL 1)'



Professional Big Machine (Model 1)

Professional Big Machine (Model 1)

1. **Roller Size:** 750mm x Ø170mm, cylindrical mold.
2. **Optional Cell Size:** 4,7 - 4,8 - 4,9 - 5,0 - 5,1 - 5,2 - 5,3 - 5,4 .
3. **Roller Metal:** Special Alloy.
4. **Production Capacity:** 40-45 kg/hour.
5. **Output:** 3 Lines
6. **Round Knives:** 2x4 Pieces.
7. **Material of Mainbody:** Inox-304 Stainless Steel.
8. **Power Supply:** 220 Volt, 3kW, Mono Phase.
9. **Control Pannel:** Wax and Water Temperature Measurement Devices, Counter, Motor Drives, Water Motor, Line Cooler, Roller, Water Cooler, Lighting, Roller Cooler, Heater, Cutter, Emergency.
10. **Labor:** Could be operated by one employee.
11. **Warranty:** 2 years. Operating errors, carelessness and negligence are except of warranty but within service.
12. Machine's all electric systems are able to adjusted by control pannel.
13. With the Motor Drives, rollers could be moved forward and backward and wax could be set at the desired speed in kg/hour by digital control system.
14. Desired width is adjusted by moving the round knives as required and the length is adjusted by digital counter on control pannel within 1mm tolerance.
15. Water and Wax temperature are continously under controlled by digital thermometer.
16. Optimum Room Temperature is between 18°C-26°C.
17. There is soaking pool in the round knives.
18. There are 2 emergency stop buttons on the machine.
19. Power Consumption: max. 3kW/hour (when all electrical components are in operation)
20. Pneumatic System is used on Cutter.
21. The machine water is kept under control by the condenser fan system.
22. There is a controllable fan on the machine band to cool the beeswax.
23. Water capacity is up to 100lt, does not require external water.
24. There is filtration in Water Tank.
25. The liquid wax is fed to the roller from a wax transfer tank with a capacity of 10lt.
26. The foundation sheets are stacked on moving lifting table.
27. Nozzle of Mini Tank that is locates on rollers is heated by Nozzle Heater in order to prevent freezing.

DETAILS & PRICING OF 'WAX MELTER TANKS (2 X 240KG)' OF PROFESSIONAL BIG MACHINE (MODEL 1)



2 x Wax Melter Tank(240kg Capacity) + Platform

Wax Melter Tanks (2 x 240kg Capacity)

1. All electric systems are able to adjusted by control pannel.
2. Control Panel: Ventil Heater, Canal Heater, Digital Heat Control, Melter Tank(Heater)
3. Power Supply: 220V/380V(Suggested).
4. Power Consumption: 6 kW/Hour.
5. 2 Walled + 1 Walled Isulation(Glass Wool)
6. Mainbody: Inox 304 Stainless Steel
7. Float Valve
8. Valve and Gutter with heater system
9. Power Consumption: 6 kW / Hour
10. Heating Type: Water(max 95°C) or Heat Transfer Oil(Max 120°C)
11. Heat Insulation
12. Lid with Silicon Seal

Tank Platform for Model 1

1. Material: Inox 304 Stainless Steel
2. Mountable

DETAILS & PRICING OF 'WAX STERILIZATION TANK (240KG CAPACITY)'

"Wax Sterilization Tank", which prevents bacteria and spores in the wax. With the "Wax Sterilization Tank", wax is boiled under 120 degrees and 1 atmosphere pressure, and then wax in the sterilization tank are transferred by air pressure within 2-3 minutes.

The melting system is electrical, heat transfer oil (Thermoil) and digital controlled.




Wax Sterilization Tank
(240kg Capacity)

Wax Sterilization Tank (240kg Capacity)

1. All electric systems are able to adjusted by control pannel.
2. Control Panel: Wax Thermometer, Digital Heat Control , Melter Tank(Heater).
3. Power Supply: 380V
4. Power Consumption: 12 kW/Hour.
5. Electrical Panel: Phases, Wax Thermometer, Tank Thermometer, Power, Voice Alarm
6. Temperature Sensor with the max range of 150°C.
7. Inox 304 Stainless Steel Electrical Panel
8. Electrical Heating with Heat Transfer Oil 32 (85lt. Capacity).
9. The internal and external body of the tank is 2.5mm, 3mm Inox 304 Stainless Steel respectively.
10. Inox 304 Stainless Steel
11. Designed for 120°C and 1 bar.
12. 10mm-thick pressure and heat resisting top lid.
13. Transoil Filler Cap, Release Valve, Safety Valve, Pressure Gauge, Air Inlet Valve, Air Regulator, Venting Device, Handles, Discharge Valve, Transoil Discharge Valve
14. Heat Isolation
15. Buckled bottom and top plate
16. Food Hose with Resistance
17. The product release is provided by air pressure with food hose.
18. Activates Voice Alarm when temperature reaches desired degrees.

PRICING OF 'FULLY AUTOMATIC BEESWAX FOUNDATION MACHINE (MODEL 1)'




Full System 'Fully Automatic Beeswax Foundation Machine (Model 1)'

- Full System	: 1 x Professional Big Machine (Model 1) : 2 x Wax Melter Tank (240kg) : 1 x Tank Platform
- Home Delivery Transportation	For exact price offer, please inform us about delivery adress.
- Installation & Training Cost	Technician's daily wage and travel expenses
- Payment Term	%25 with Order Agreement + %75 Before Shipping
- Accommodation	Hotel costs belongs to CUSTOMER (approx. 3 days) *Minimum 3-Star Hotel
- Optional Products	Wax Sterilization Tank (240kg Capacity) Wax Melter Tank (140kg Capacity) Wax Melter Tank (80kg Capacity) Wax Melter Tank (35kg Capacity)



DETAILS & PRICING OF 'INDIVIDUAL MINI MACHINE (MODEL 2)'



Individual Mini Machine (Model 2)

Individual Mini Machine (Model 2)

1. **Roller Size:** 350mm x Ø170mm, cylindrical mold.
2. **Optional Cell Size:** 4,7 - 4,8 - 4,9 - 5,0 - 5,1 - 5,2 - 5,3 - 5,4 .
3. **Roller Metal:** Special Alloy.
4. **Production Capacity:** 12-15 kg/hour.
5. **Output:** 1 Line
6. **Round Knives:** 2x3 Pieces.
7. **Material of Mainbody:** Inox-304 Stainless Steel.
8. **Power Supply:** 220 Volt, Mono Phase.
9. **Control Pannel:** Wax and Water Temperature Measurement Devices, Counter, Motor Drives, Water Motor, Line Cooler, Roller, Water Cooler, Lighting, Roller Cooler, Heater, Cutter, Emergency.
10. **Labor:** Could be operated by one employee.
11. **Warranty:** 2 years. Operating errors, carelessness and negligence are except of warranty but within service.
12. Machine's all electric systems are able to adjusted by control pannel.
13. With the Motor Drives, rollers could be moved forward and backward and wax could be set at the desired speed in kg/hour by digital control system.
14. Desired width is adjusted by moving the round knives as required and the length is adjusted by digital counter sensor on control pannel.
15. Water and Wax temperature are continiously under controlled by digital thermometer.
16. Optimum Room Temperature is between 18°C-26°C.
17. There is soaking pool in the round knives.
18. There are 2 emergency stop buttons on the machine.
19. Power Consumption: max. 3kW/saat. (when all electrical components are in operation)
20. Pneumatic System is used on Cutter.
21. The machine water is kept under control by the condenser fan system.
22. There is a controllable fan on the machine band to cool the beeswax.
23. Water capacity is up to 60lt, does not require external water.
24. There is filtration in Water Tank.
25. The liquid wax is fed to the roller from a wax transfer tank with a capacity of 10lt.
26. The foundation sheets are stacked on moving lifting table.
27. Nozzle of Mini Tank that is locates on rollers is heated by Nozzle Heater in order to prevent freezing.

DETAILS & PRICING OF 'WAX MELTER TANK(140KG CAPACITY)' OF INDIVIDUAL MINI MACHINE (MODEL 2)



Wax Melter Tank(140kg Capacity) + Platform

Wax Melter Tank (140kg Capacity)

1. All electric systems are able to adjusted by control pannel.
2. Control Panel: Ventil Heater, Canal Heater, Digital Heat Control, Melter Tank(Heater).
3. Power Supply: 220V/380V(Suggested).
4. Power Consumption: 6 kW/Hour.
5. 2 Walled + 1 Walled Isulation(Glass Wool)
6. Mainbody: Inox 304 Stainless Steel
7. Float Valve
8. Valve and Gutter with heater system
9. Power Consumption: 6 kW/Hour.
10. Heating Type: Water or Heat Transfer Oil
11. Heat Insulation
12. Lid with Silicon Seal

Tank Platform for Model 2

1. Material: Inox 304 Stainless Steel
2. Mountable

DETAILS & PRICING OF 'WAX STERILIZATION TANK (140KG CAPACITY)'

"Wax Sterilization Tank", which prevents bacteria and spores in the wax. With the "Wax Sterilization Tank", wax is boiled under 120 degrees and 1 atmosphere pressure, and then wax in the sterilization tank are transferred by air pressure within 2-3 minutes.

The melting system is electrical, heat transfer oil (Thermoil) and digital controlled.



Wax Sterilization Tank
(140kg Capacity)

Wax Sterilization Tank (140kg Capacity)

1. All electric systems are able to adjusted by control pannel.
2. Control Panel: Wax Thermometer, Digital Heat Control , Melter Tank(Heater).
3. Power Supply: 380V
4. Power Consumption: 9 kW/Hour.
5. Electrical Panel: Phases, Wax Thermometer, Tank Thermometer, Power.
6. Temperature Sensor with the max range of 150°C.
7. Inox 304 Stainless Steel Electrical Panel
8. Electrical Heating with Heat Transfer Oil 32(60lt Capacity).
9. The internal and external body of the tank is 2.5mm, 3mm Inox 304 Stainless Steel respectively.
10. Inox 304 Stainless Steel
11. Designed for 120°C and 1 bar.
12. 10mm-thick pressure and heat resisting top lid
13. Transoil Filler Cap, Release Valve, Safety Valve, Pressure Gauge, Air Inlet Valve, Air Regulator, Venting Device, Handles, Discharge Valve, . Transoil Discharge Valve
14. Heat Isolation
15. Buckled bottom and top plate
16. Food Hose with Resistance
17. The product release is provided by air pressure with food hose.
18. Activates Voice Alarm when temperature reaches desired degrees.



PETMAK®
Arıcılık Makineleri | Beekeeping Machinery

PRICING OF 'FULLY AUTOMATIC BEESWAX FOUNDATION MACHINE (MODEL 2)'




Full System 'Fully Automatic Beeswax Foundation Machine (Model 2)'

- Full System	<p>: 1 x Individual Mini Machine (Model 2)</p> <p>: 1 x Wax Melter Tank (140kg)</p> <p>: 1 x Tank Platform</p>
- Home Delivery Transportation	For exact price offer, please inform us about delivery adress.
- Installation & Training Cost	Technician's daily wage and travel expenses
- Payment Term	%25 with Order Agreement + %75 Before Shipping
- Accommodation	Hotel costs belongs to CUSTOMER (approx. 3 days) <small>*Minimum 3-Star Hotel</small>
- Optional Products	<p>Wax Sterilization Tank (140kg Capacity)</p> <p>Wax Melter Tank (140kg Capacity)</p> <p>Wax Melter Tank (80kg Capacity)</p> <p>Wax Melter Tank (35kg Capacity)</p>



DETAILS & PRICING OF 'WAX PRESSING MACHINE'



Wax Pressing Machine (PRESS-01)


Wax Pressing Machine (PRESS-01)

1. 200 Bar Pressing.
2. Inox 304 Stainless Steel Melter Tank, wheeled, 300lt. Capacity, LPG Heating System.
3. Inox 304 Stainless Steel Stilling Poll, wheeled, 200lt. Capacity.
4. Hydraulic piston, heated walking cabin. (Steel Plate + Inox 304 Stainless Steel coated)
5. Inox 304 Stainless Steel Dropping Tray, wheeled.
6. Power Supply: 380V
7. Power Consumption: 16 kW/Hour.
8. Control Panel on Hydraulic Press
9. Anti-splash protection cover
10. List of Equipments:
 - 1 x HYDRAULIC PRESS
 - 1 x PRESSING CABIN
 - 1 x DROPPING TRAY
 - 1 x STILLING POLL
 - 1 x MELTER TANK

- Full System	: Wax Pressing Machine
- Home Delivery Transportation	For exact price offer, please inform us about delivery adress.
- Installation & Training Cost	Technician's daily wage and travel expenses
- Payment Term	%25 with Order Agreement + %75 Before Shipping
- Accommodation	Hotel costs belongs to CUSTOMER (approx. 3 days) *Minimum 3-Star Hotel



DETAILS & PRICING OF 'FONDANT 'BEE FEED' MACHINE'



Fondant 'Bee Feed' Machine (Fondant-01)

Fondant 'Bee Feed' Machine

1. Production Tunnel: Inox 304 Stainless Steel
2. Mainbody: Inox 304 Stainless Steel
3. Control Panel: Phases, Motor, Water Temperature, Manual Filling, Automatic Filling
4. Water pressure and Temperature indicator
5. Inox 304 Stainless Steel Electrical Pannel
6. Programable Digital Indicator
7. Product cooling is provided with mains water (Optimal 12°C-18°C) or Chiller(Optional).
8. Power Supply: 380V.
9. Power Consumption: 3 kW/Hour.
10. Production Capacity: 100-120kg/hour.
11. Pneumatic Filling Valve, 3-6bar, Pneumatic Lubricator and Regulator
12. Filling Start is provided by pedal or start button.
13. Loadcell, 0-20kg weighing capacity, precision scales

Lpg Gas Melting System Tank (250lt. Capacity)

1. Capacity 250lt/200kg Sugar
2. Heating System: LPG
3. Chimney
3. Inox 304 Stainless Steel & Steel Sheeting on interior.
4. Inox 304 Stainless Steel Sheeting on exterior
5. Ventil Heater on Valve
6. Tank Mixer: 0.25 kW
7. Voice Alarm
8. Digital Heat Indicator
9. Emergency Button
10. Water Connection Valve

- Full System	: 1 x Fondant 'Bee Feed' Machine : 2 x Sugar Melter Tank - LPG System (250lt.)
- Home Delivery Transportation	For exact price offer, please inform us about delivery adress.
- Installation & Training Cost	Technician's daily wage and travel expenses
- Payment Term	%25 with Order Agreement + %75 Before Shipping
- Accommodation	Hotel costs belongs to CUSTOMER (approx. 3 days) *Minimum 3-Star Hotel
- Optional Products	Package Sealing Machine Water Cooling System(Chiller)

DETAILS AND PRICING OF 'FONDANT 'BEE FEED' MACHINE - PROFESSIONAL SYSTEM'



Fondant 'Bee Feed' Machine - Professional System (Fondant-11)

Fondant 'Bee Feed' Machine

1. Production Tunnel: Inox 304 Stainless Steel
2. Mainbody: Inox 304 Stainless Steel
3. Control Panel: Phases, Motor, Water Temperature, Manual Filling, Automatic Filling
4. Water pressure and Temperature indicator
5. Inox 304 Stainless Steel Electrical Panel
6. Programable Digital Indicator
7. Product cooling is provided with mains water (Optimal 12°C-18°C) or Chiller(Optional).
8. Power Supply: 380V.
9. Power Consumption: 3 kW/Hour.
10. Production Capacity: 100-120kg/hour.
11. Pneumatic Filling Valve, 3-6bar, Pneumatic Lubricator and Regulator
12. Filling Start is provided by pedal or start button.
13. Loadcell, 0-20kg weighing capacity, precision scales

Sugar Melter Tank (250lt. Capacity)

1. Capacity 250lt/200kg Sugar
2. 3 Walled, Heat Insulated
3. All electric systems are able to adjusted by control panel.
4. Power Consumption: 18 kW/Hour
5. Main Body: Inox 304 Stainless Steel
6. Material of Electrical Panel: Inox 304 Stainless Steel
7. Power Supply: 380 V
8. Tank Mixer: 0.25kW
9. Water Connection Valve
10. Oil Level Indicator
11. Heating Type: Heat Transfer Oil

Resting Tank (200lt. Capacity)

1. Capacity: 200lt.
2. Heat Insulated
3. Main Body: Inox 304 Stainless Steel
4. Stainless Ventil with Ventil Heater
5. Digital Temperature Indicator

Screw Conveyor for Sugar

1. Power Consumption: 1.1kW/Hour
2. Vertical Length: 3m, Mountable
3. Material: Inox 304 Stainless Steel
4. Capacity of Silo: 50kg
5. Emergency Button

Water Cooling System * Optional

1. Water Capacity: 250lt
2. Power of Compressor: 4hp
3. Power of Water Engine: 1.1 kW
4. Cooling Capacity: 10.000 kcal/h

Package Sealing Machine * Optional

1. Digital Adjustable Heat
2. Adjustable band speed
3. Adjustable Height
4. 304 Stainless Steel Legs

- Full System	: 1 x Fondant 'Bee Feed' Machine : 1 x Melter Tank(250lt.) : 1 x Resting Tank(200lt.) : 1 x Screw Conveyor for Sugar : 1 x Tank Platform
- Home Delivery Transportation	For exact price offer, inform us about delivery adress.
- Installation & Training Cost	Technician's daily wage and travel expenses
- Payment Term	%25 with Order Agreement + %75 Before Shipping
- Accommodation	Hotel costs belongs to CUSTOMER (approx. 3 days) *Minimum 3-Star Hotel
- Optional Products	: Water Cooling System (Chiller) : Package Sealing Machine


DETAILS AND PRICING OF “HONEY DECRYSTALLIZATION HEATER (115lt / 440lt / 880lt)”



115lt.



440lt.



880lt.

The honey is kept at 42°C-45°C for 20 hours and it is converted into its natural form without the increase of honey Hmf(Hidroksimetilfurfural).

Consumption is 20-24 kW electricity in 20 hours for 115lt. & 440lt.

Consumption is 44-48 kW electricity in 20 hours for 115lt. & 440lt.

It could be produced in special dimensions as you request.

HONEY DECRYSTALLIZATION HEATER (115lt) / (440lt) / (880lt)

1. Capacity: 115lt / 440lt / 880lt
2. Wheeled Frame
3. Interior and Exterior material is covered with 430 stainless steel sheets.
4. Hot-air Heating
5. Temperature are continously under controlled by digital thermometer.
6. Digital Heat Control
7. 2-Walled Isolation
8. Power Supply: 220V.
9. Power Consumption: 2 kW/Hour for 115lt. & 440lt.
10. Power Consumption: 4 kW/Hour for 880lt.
11. Decrystallization Time: 20-24 Hour.
12. Maximum Temperatire: 42°C-45°C.
13. Suitable with extracted honey and comb honey.

DOMESTIC REFERENCES

- * Mehmet SALCAN – Adana
- * Kırççek Petek Arıcılık Malzemeleri – Adapazarı
- * Adıyaman ili Arı Yetiştiricileri Birliği–Adıyaman
- * **Ağrı ili Arı Yetiştiricileri Birliği – Ağrı**
- * **Ağrı Merkez İlçe ve Köylerine Hizmet Götürme Birliği Başkanlığı – Ağrı**
- * KLV İnşaat A.Ş. – Ankara
- * Şeref-İbrahim Gürel Gürel Petek – Antalya
- * Erol Şimşek – Antalya
- * **Antalya İl Özel İdaresi Müdürlüğü**
- * **Antalya İli Arı yetiştiricileri Birliği – Antalya**
- * **Kafkas Arısı Üretim Eğitim GEN Merkezi Müdürlüğü – Ardahan**
- * **Ardahan ili Arı Yetiştiricileri Birliği - Ardahan**
- * Recep Zengin - Arhaden
- * Macahel Arıcılık - Artvin
- * **S.S. KABACA KÖYÜ TARIMSAL KALKINMA KOOPERATİFİ - Artvin**
- * Anadolu Gıda Ürünleri San.İÇ VE DIŞ TİC.PAZ. - Aydın
- * Tayfun Özbay/Özbay Arıcılık - Aydın
- * Pazar Petek Hüseyin Pazar - Aydın
- * Fatih Çakar Kılavuz Petek - Balıkesir
- * **1899 Sayılı Bartın Tarım Kredi Kooperatif - Bartın**
- * **Bayburt ili Arı Yetiştiricileri Birliği - Bayburt**
- * **Bingöl ili Arı Yetiştiricileri Birliği - Bingöl**
- * Çetin Kumaz - Burdur
- * Ahmet Duydu - Bursa
- * **Çanakkale ili Arı Yetiştiricileri Birliği - Çanakkale**
- * Benka Arıcılık Mehmet Vahdettin Küçükbenli - Çorum
- * **Erzincan İli Arı yetiştiricileri Birliği - Erzincan**
- * **Erzincan Valiliği Merkez İlçe ve Köylere Hizmet Götürme Birliği Bşk. - Erzincan**
- * Yener Avcı Kervan Petek - Erzurum
- * Gür Petek - Erzurum
- * Uzman Arıcılık ve Tarım Ürünleri San.–Eskişehir
- * Haldun Gedikali - Giresun
- * **Giresun İl Gıda Tarım ve Hayvancılık Müdürlüğü - Giresun**
- * **Giresun ili Arı Yetiştiricileri Birliği - Giresun**
- * Şifa Petek - Giresun
- * Muhammed Çubukcu - Gümüşhane
- * **Hatay İl Özel İdaresi Tarımsal Hizmetler Müdürlüğü - Hatay**
- * **Hatay ili Arı Yetiştiricileri Birliği - Hatay**
- * Balçılar Gıda-Sevgi Çınar - İstanbul
- * Orbal arıcılık Balçılık Gıda Sanayi ve Ticaret A.Ş. - İstanbul
- * Gökhan Bayrak - İstanbul
- * Başak Doğal Ürünler - İstanbul
- * Arı Kent Gıda - İstanbul
- * Apimaye - İstanbul
- * Alp Korkut Arı Ürünleri - İzmir
- * Bey Arı Ürünleri - İzmir
- * Nokta Bal - İzmir
- * Alp Korkut - İzmir
- * Bergama Petek - İzmir
- * Vahdet Alaçalı Çağırınur Bal ve Gıda - Kahramanmaraş
- * Arı Bal Evi/Emin Yıldırım - Kayseri
- * Çardaklar Gıda SAN. LTD. ŞTİ. - Kocaeli
- * **Malatya İli Arı Yetiştiricileri Birliği - Malatya**
- * **Malatya İl Özel İdaresi Müdürlüğü Malatya**
- * Ali Çolak - Malatya
- * Yeni Arı Petek - Mersin
- * Turhan Petek - Mersin
- * MELTEM BAL ARICILIK GIDA Tic.San.Ltd.Şti. Mersin
- * Gürkan Atar Atarlar Bal - Mersin
- * Aksu Mum Sıkma Petek Üretim Tesisi/Yakup AKSU - Muğla
- * Hasan Duran - Muğla
- * Çalçalar Gıda - Muğla
- * İsmail Ünal Çakırsaz Arıcılık - Muğla
- * Doğal Vitamin Al Baharat - Ordu
- * DAĞ-BAL ÖZPETEK - Ordu
- * **Ordu İli Arı Yetiştiricileri Birliği - Ordu**
- * **Ordu Arıcılık Araştırma Enstitüsü Müd.Ordu**
- * Mehmet Güneş - Ordu
- * Kovacioğlu LTD.ŞTİ - Ordu
- * Mehtap Petek - Ordu
- * KAFKAS PETEK (Talet Demirli) - Ordu
- * Cihan Petek - Ordu
- * Balegra Bal Atılım Gıda San.Tic.Ltd.Şti. Kumru- Ordu
- * Gümüş Petek Arıcılık Evi San.Tic.Ltd.Şti.- Ordu
- * Güven Petek Balmumu Üretim San.Tic.A.Ş.- Ordu
- * ZEYNEL ŞEN - YEŞİLKENT ŞEN PETEK - Ordu
- * Anzer Petek Mustafa Lezgi - Rize
- * **Büyükdere Vadisi İskan Vakfı - Rize**
- * Ahmet Bayraktutan - Rize
- * Turan Kaplanoğlu - Ada Kaplan Petek Ve Arı Yemi - Sakarya
- * KIRÇÇEK PETEK Bal Gıda ve İçecek San.-Sakarya
- * Çetin Karamahmut - Sakarya
- * EKOSAM Ekolojik Samsun Tarım Hayvancılık Turizm Danışmanlık San. ve LTD. ŞTİ - Samsun
- * Sermet Arıcılık - Sivas
- * **Sivas İl Gıda Tarım ve Hayvancılık Müdürlüğü - Sivas**
- * **Zara İlçe Gıda, Tarım ve Hayvancılık Müdürlüğü - Sivas**
- * **Zara Balı Araştırma Geliştirme Merkezi (ZAGEM) - Sivas**
- * Eğriçimen Gıda - Sivas
- * Aslan Petek - Sivas
- * **Tokat ili Arı Yetiştiricileri Birliği - Tokat**
- * Fanus Gıda ve Organik Ürünler SAN. TİC. LTD. ŞTİ. - Trabzon
- * Münir Bozkurt-Mizan Gıda Üretim ve Dağıtım - Trabzon
- * Nurettin Özgürel-Özgüreler Bal - Tunceli
- * **Tunceli ili Arı Yetiştiricileri Birliği - Tunceli**
- * Okatan Gıda- Van
- * **Karadeniz Ereğli Köylere Hizmet Götürme Birliği - Zonguldak**



info@pet-mak.com / sales@pet-mak.com / petmak@pet-mak.com



+90 537 502 33 23



petmakmakine



petmakmakine



petmakmakine
beeswaxmachine



Altınordu / ORDU / TÜRKİYE



www.petsmakmakina.com.tr

ABROAD REFERENCES

* TOUATI ABDERRAHMANE ENTERPRISE D'APICULTURE - ALGERIA
* LTD CAUCASIAN TRADE AND INVESTMENT - ARMENIA
* HANS STUTZ - AUSTRALIA
* HONEYSUCKLE ENTERPRISE PTY LTD - AUSTRALIA
* ALBERT NOVOTNY - AUSTRIA
* VIDADI GULIEV - AZERBEIJAN
* SHAHDAG-E LLC - AZERBEIJAN
* MATEEV S.C. - BULGARIA
* DANROS LTD - BULGARIA
* PCHELARSKI TSENTAR YUZHEN LTD. - BULGARIA
* ZP YULIAN KEHAYOV. - BULGARIA
* RICHI 1990 EOOD - BULGARIA
* FUNDA APICOLA PUNTIAGUDA SPA - CHILE
* CWK INVESTMENT LTD - CHINA
* JOHN ALLAN BREALEY RODRIGUEZ - COSTA RICA
* PZ PCELARI - CROATIA
* DCH BOHEMIA TRADE A.S - CZECH REPUBLIC
* VCELARSTVI JOSEF THOMAYER - CZECH REPUBLIC
* JIRI MALEK - LIBICE NAD - CZECH REPUBLIC
* MOHAMED NASER MOHAMED DARWISH - EGYPT
* YOUNA OFFICE FOR IMPORT AND EXPORT - EGYPT
* KAMEL ELBRANCE IMPORT & EXPORT COMPANY - EGYPT
* APINEC AGRO_INDUSTRY PLC - ETHIOPIA
* MEHILAISTALO - FINLAND
* SHOTA DUMBADZE GALTAMI LTD. - GEORGIA
* KÖGLSPERGER THOMAS - GERMANY
* IMKERWELT-AS GBR - GERMANY
* ATR RAISEN GMBH. - GERMANY
* MICHAEL TYROLLER - GERMANY
* KELLMAN VERTRIEBS GMBH - GERMANY
* ACHIM SCHNEIDER - GERMANY
* ZIEBELSBERGER AUGUST - GERMANY
* BIENEN LINDNER STEFAN LINDNER - GERMANY
* PETER KANCEV - GERMANY
* ENES ARGUC - GERMANY
* BURHAN CAVAS - GERMANY
* THOMAS GSCHWANDTNER - GERMANY
* IMKEREI ALLGAIER ANDREA ALLGAIER - GERMANY
* ZSCHOPAUTALER IMKER SILVIO UHLEMANN - GERMANY
* IMKEREIBEDARF LEIPZIG - GERMANY
* MELISSOKOMIKI HELLAS - GREECE
* BEE ART I.K.E - GREECE
* PARCHARIDOU SOFIA - GREECE
* PEHLIVAN FEIAZ - GREECE
* ERBG SYSTEM KFT. - HUNGARY
* SOLADO SRL - ITALY

* SIA MEDUS ML - LATVIA
* XNOX S.A DE C.V - MEXICO
* BILAL AGRI - MOROCCO
* SIMILE HAPPY CO,LTD - MYANMAR
* HAUGSTEN GARD IVAR ARNE GRIMSTAD - NORWAY
* ROZTOCZANSKI ZWIAZEK PSZCZELARZY - POLAND
* ROBERT ZIELINSKI - POLAND
* PRZEDSIĘBIORSTWO PSZCZELARSKIE - POLAND
* RENETA FERLINSKA "API-WAX" - POLAND
* ALL-POUVAR LTD - PORTUGAL
* FERNANDA JORGE DE OLIVEIRA DUARTE - PORTUGAL
* JOSE GABRIEL REIS DOS SANTOS - PORTUGAL
* DECIFRAPALPITE,LDA. - PORTUGAL
* JOSÉ ANTÓNIO LOURO VÍCENTE - PORTUGAL
* SAMIR VESELI- REPUBLIC OF KOSOVO
* N.T.P 'MBRETRESHA E LULEVE' - REPUBLIC OF KOSOVO
* CDF-COMMUNITY DEVELOPMENT FUND - REPUBLIC OF KOSOVO
* DOOEL FARMA ROJ - REPUBLIC OF NORTH MACEDONIA
* ALEKSANDAR UZUNOV - REPUBLIC OF NORTH MACEDONIA
* CHILOM AURELIAN - ROMANIA
* S.C FILEOMERA S.R.L - ROMANIA
* ROCOS PROD S.R.L - ROMANIA
* SC FAGURI SEB SRL-D - ROMANIA
* KEMCRISTAL SRL - ROMANIA
* S.C. CENTRAL CANDLE S.R.L. - ROMANIA
* OVISAN IMPORT EXPORT SRL - ROMANIA
* FELICIAN NEGRUT - ROMANIA
* KAS-GROUP,LLC - RUSSIA
* EVROTOM DOO RUMA - SERBIA
* ATLAS OPREMA D.O.O - SLOVENIA
* GREGOR ZALIG - SLOVENIA
* ASTURIAS APICOLA S.L. - SPAIN
* BEEP KONSULT I BIODLING - SWEDEN
* BEEFUTURE AB - SWEDEN
* VÅNGAHONUNG MATS KARLSSON - SWEDEN
* ANNA SVERREDAL - SWEDEN
* HANS FREI - SWITZERLAND
* KUDRET BALCI(KANTARA BALLARI) - TURKISH REPUBLIC OF NORTHERN CYPRUS
* KUZHEY KIBRIS ARI YETİŞTİRİCİLERİ BİRLİĞİ - TURKISH REPUBLIC OF NORTHERN CYPRUS
* HÜLYA ORTAN/ ORTAN ARICILIK - TURKISH REPUBLIC OF NORTHERN CYPRUS
* DUBOVYK MYKOLA - UKRAINE
* BEECITY - UKRAINE
* SHARIF TILLYAEV - UZBEKISTAN
* DAKLAK HONEY BEE JOINT STOCK COMPANY - VIETNAM
* MINH PHUONG NAM HANOI INVESTMENT - VIETNAM
* MOHAMMAD DARWISH - REPUBLIC OF LEBANON



info@pet-mak.com / sales@pet-mak.com / petmak@pet-mak.com



+90 537 502 33 23



petmakmakine



petmakmakine



petmakmakine
beeswaxmachine



Altınordu / ORDU / TÜRKİYE



www.petsmakmakina.com.tr



PETMAK®

Arıcılık Makineleri | Beekeeping Machinery



info@pet-mak.com / sales@pet-mak.com / petmak@pet-mak.com



+90 537 502 33 23



petmakmakine



Altınordu / ORDU / TÜRKİYE



petmakmakine



petmakmakine
beeswaxmachine



www.petmakmakina.com.tr

